Full Colour Multi Function Printer

RICOH IM C3000 IM C3500 IM C4500 IM C6000





Welcome to a new era of technology that keeps your workplace up to date with RICOH IM C3000 / C3500 / C4500 / C6000 range of intelligent devices. Device and technology that is designed to grow and adapt, just as your business does.

Today's workplace needs to be ready for tomorrow. RICOH Intelligent Devices provide smooth access to functionality upgrades and productivity enhancements when they are released, without needing to change your hardware. Turn your device into a powerful hub that helps you manage information workflows efficiently, usingtechnology that is scalable, secure, sustainable and simple.

Now is the time to:

- Protect your devices with easy access to security updates
- Take advantage of easy productivity upgrades at your own pace
- Save costs by bringing high-standard quality print output in-house
- Maximise productivity with streamlined workflows





Excellent Performance with the Best Quality Output

Greater Control of Scan and Print Management

Scanning of smaller sized documents can be easily done with the new small sized paper scan unit. The double feed detection unit helps to improve scan accuracy while the EFI controller enhances print management. Now, you can also create professional grade flyers at your own convenience with our inner multi-folding unit.



Seamless User Experience

Our intelligent devices offer efficient working and reduced user intervention by expanding paper capacity. Choose from our versatile finishing and paper options for a professional touch to save time and reduce outsourcing expenses. With RICOH Intelligent Support, experience maximum device uptime and minimal disruption across all your devices.





Maximise Cost Savings

Enjoy lower running costs and reduced energy consumption thanks to environmentally friendly low TEC (Typical Electricity Consumption) values. Furthermore, take advantage of RICOH Intelligent Support services that anticipate potential issues and send corrective instructions via the Smart Operation Panel, avoiding interruptions and prolonging the optimal performance of your device – avoiding the need for intervention by more costly IT resources.



Next-level Productivity with Smart Operations

Interact with the 10.1" Smart Operation Panel like a typical smart device and configure it for quick and easy access to apps you use most often. A variety of mobile connectivity options enable printing or scanning to the office network or cloud from a smart device with built in support for NFC, AirPrint or Mopria. All this underpinned by a unique suite of support apps from RICOH Smart Integration.

RICOH IM C3000 / IM C3500 / IM C4500 / IM C6000

MAIN SPECIFICATIONS

MODEL	RICOH IM C3000	RICOH IM C3500	RICOH IM C4500	RICOH IM C6000		
GENERAL						
Warm-up Time	21 Seconds					
First Output Speed : B/W	4.5 Seconds	4.5 Seconds	3.6 Seconds	2.9 Seconds		
First Output Speed : Full Color	6.9 Seconds	6.9 Seconds	5.4 Seconds	4.2 Seconds		
Continuous Output Speed	30ppm	35ppm	45ppm	60ppm		
Memory Std/Max	2GB Std / 4GB Max					
HDD Std/Max		320GB Sto	l/Max			
ARDF Capacity	100 Sheets					
SPDF Capacity	220 Sheets					
Weight [Mainframe]	Less Th	an 85.5Kg	Less T	han 87.5Kg		
Dimensions W x D x H [Standard]		587 x 685 x	788 mm			
Dimensions W x D x H [Maximum]		668 x 738 x 1	030 mm			
(excluding ARDF/SPDF) Power Source						
COPIER	220 - 240V 50/60Hz					
Multiple Copying		Up to 999	Conies			
Resolution		600 d	·			
Zoom		From 25% to 400				
PRINTER		110111 23 70 10 400	70 III 170 ЭССР			
CPU	Intel Atom Process	or ApolloLake 1.3GHz	Intel Atom Proces	sor ApolloLake 1.6GHz		
Printer Language : Standard	inter Atom Frocessi	PCL5c, PCL6, Postscript 3 (emulat		301 ApolloLuke 1.00112		
Printer Language : Option	Gon	uine Adobe® Postscript®3™, XPS, IPDS		Adohe®		
Print Resolution	den	1,200 x 1,2		Adobe		
Network Interface : Standard	Fthorne	r,200 x 1,2 et 10 base-T/100base-TX/1000 base-T, L	•	re I/F Tyne B		
Network Interface : Option		onal IEEE 1284/ECP, Wireless LAN (IEE				
Mobile Printing Capability		e AirPrint™, Mopria, Google Cloud Pri				
		8.1, Windows®10, Windows® Server 2				
Windows® environments		Windows® Se				
Mac OS environments	Macintosh OS X10.11 or Later					
iviac O3 environments	UNIX Sun® Solaris, HP-UX, SCO OpenServer, RedHat® Linux Enterprise, IBM® AIX					
UNIX environments	UNIX	X Sun® Solaris, HP-UX, SCO OpenServe	r, RedHat® Linux Enterprise, II	BM® AIX		
	UNIX	X Sun® Solaris, HP-UX, SCO OpenServe SAP® S/	· · · · · · · · · · · · · · · · · · ·	BM® AIX		
UNIX environments	UNI	· · · · · · · · · · · · · · · · · · ·	/4®	BM® AIX		
UNIX environments SAP® environments	UNI	SAP® S/	/4®	BM® AIX		
UNIX environments SAP® environments Other Supported environments	UNI	SAP® S/	/4° ries	BM® AIX		
UNIX environments SAP® environments Other Supported environments SCANNER	UNI	SAP® S/ IBM iSe	'4° ries '40ipm (duplex)	BM® AIX		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed	UNI	SAP® S/ IBM iSe 120ipm (Simplex) / 2	'4° ries '40ipm (duplex) Ipi	BM® AIX		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution : Maximum		SAP® S/ IBM iSe 120ipm (Simplex) / 2 1,200 c	'4° ries '40ipm (duplex) lpi JBIG2), Grayscale mpression PDF, Single page Pl	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution : Maximum Compression Method		SAP® S/ IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High co	'4'° ries '40ipm (duplex) lpi JBIG2), Grayscale mpression PDF, Single page PI npression PDF, Multi Page PDF	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats		SAP® S, IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High co Multi page PDF, Multi page High con	'4'° ries '40ipm (duplex) lpi JBIG2), Grayscale mpression PDF, Single page PI npression PDF, Multi Page PDF	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution : Maximum Compression Method File Formats Scan Modes		SAP® S, IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High co Multi page PDF, Multi page High con	ries 240ipm (duplex) Ipi JBIG2), Grayscale mpression PDF, Single page Pl npression PDF, Multi Page PDF SB, SD Card	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution : Maximum Compression Method File Formats Scan Modes FACSIMILE		SAP® S/ IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High con Multi page PDF, Multi page High con Email, Folder, U	ries 240ipm (duplex) Ipi JBIG2), Grayscale mpression PDF, Single page PI npression PDF, Multi Page PDI SB, SD Card	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution : Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit		SAP® S/ IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High con Multi page PDF, Multi page High con Email, Folder, U	ries 240ipm (duplex) Ipi IBIG2), Grayscale Impression PDF, Single page Pl Inpression PDF, Multi Page PDF SB, SD Card BX Inds	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed		SAP® S/ IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High co Multi page PDF, Multi page High con Email, Folder, U PSTN, P 2 Secor	ries 240ipm (duplex) Ipi IBIG2), Grayscale Impression PDF, Single page Pl Inpression PDF, Multi Page PDF SB, SD Card BX Inds Ipps	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum		SAP® S/ IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High co Multi page PDF, Multi page High con Email, Folder, U PSTN, P 2 Secor	A4° A40ipm (duplex) A40ipm (duplex) April Apr	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution : Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed : Maximum Resolution : Standard		SAP® S, IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High con Multi page PDF, Multi page High con Email, Folder, U PSTN, P 2 Secor 33.6 Kt 8 x 3.65 line/mm,	A4° A40ipm (duplex) Aipi JBIG2), Grayscale mpression PDF, Single page Pl npression PDF, Multi Page PDF SB, SD Card BX ads pps 200 x 100 dpi 400 x 400 dpi	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution : Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed : Maximum Resolution : Standard Resolution : Option		SAP® S, IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High con Multi page PDF, Multi page High con Email, Folder, U PSTN, P 2 Secor 33.6 Kt 8 x 3.65 line/mm, 16 x 15.4 line/mm,	ries 240ipm (duplex) Ipi JBIG2), Grayscale mpression PDF, Single page Pl npression PDF, Multi Page PDF SB, SD Card BX ads aps 200 x 100 dpi 400 x 400 dpi MR, JBIG	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution : Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed : Maximum Resolution : Standard Resolution : Option Compression Method		SAP® S, IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High con Multi page PDF, Multi page High con Email, Folder, U PSTN, P 2 Secor 33.6 Kb 8 x 3.65 line/mm, 16 x 15.4 line/mm, MH, MR, MM	ries 240ipm (duplex) Ipi JBIG2), Grayscale mpression PDF, Single page Pl npression PDF, Multi Page PDF SB, SD Card BX nds pps 200 x 100 dpi 400 x 400 dpi AR, JBIG Pages)	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard		SAP® S, IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High con Multi page PDF, Multi page High con Email, Folder, U PSTN, P 2 Secon 33.6 Kb 8 x 3.65 line/mm, 16 x 15.4 line/mm, MH, MR, MM	ries 240ipm (duplex) Ipi JBIG2), Grayscale mpression PDF, Single page Pl npression PDF, Multi Page PDF SB, SD Card BX nds pps 200 x 100 dpi 400 x 400 dpi AR, JBIG Pages)	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum		SAP® S, IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High con Multi page PDF, Multi page High con Email, Folder, U PSTN, P 2 Secon 33.6 Kb 8 x 3.65 line/mm, 16 x 15.4 line/mm, MH, MR, MM	A4° A4° A4° A4° A4° A4° A4° A4°	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING		SAP® S, IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High con Multi page PDF, Multi page High con Email, Folder, U PSTN, P 2 Secon 33.6 Kb 8 x 3.65 line/mm, 16 x 15.4 line/mm, MH, MR, MM 4MB (320 I) 60MB (4,800)	A40ipm (duplex) A40ipm (duplex) A40ipm (duplex) Api BIG2), Grayscale Impression PDF, Single page Pl Inpression PDF, Multi Page PDF SB, SD Card BX Inds I	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size		SAP® S/ IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High co Multi page PDF, Multi page High co Email, Folder, U PSTN, P 2 Secor 33.6 Kt 8 x 3.65 line/mm, 16 x 15.4 line/mm, MH, MR, MM 4MB (320 I) 60MB (4,800	A40ipm (duplex) Idpi JBIG2), Grayscale Impression PDF, Single page Plinpression PDF, Multi Page PDF SB, SD Card BX Inds Ids Ids Ids Ids Ids Ids Ids Ids Ids I	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std		SAP® S/ IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High co Multi page PDF, Multi page High co Email, Folder, U PSTN, P 2 Secor 33.6 Kt 8 x 3.65 line/mm, 16 x 15.4 line/mm, MH, MR, MM 4MB (320 I) 60MB (4,800 SRA3, A3, A4, A5, 1,200 Sh	A40ipm (duplex) Idpi JBIG2), Grayscale Impression PDF, Single page Plinpression PDF, Multi Page PDF SB, SD Card BX Idds Idds Idds Idds Idds Idds Idds Idd	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std Paper Input Capacity Max	Single Page TIFF, S	SAP® S/ IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High co Multi page PDF, Multi page High co Email, Folder, U PSTN, P 2 Secor 33.6 KE 8 x 3.65 line/mm, 16 x 15.4 line/mm, MH, MR, MM 4MB (320 l) 60MB (4,800) SRA3, A3, A4, A5, 1,200 Sh 4,700 Sh	Ata	DF-A, Multi page TIFF,		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std Paper Output Capacity Std	Single Page TIFF, S	SAP® S, IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High co Multi page PDF, Multi page High co Email, Folder, U PSTN, P 2 Secor 33.6 Kt 8 x 3.65 line/mm, 16 x 15.4 line/mm, MH, MR, MM 4MB (320 l) 60MB (4,800) SRA3, A3, A4, A5, 1,200 Sh 4,700 Sh	A40ipm (duplex) Idpi JBIG2), Grayscale Impression PDF, Single page Plinpression PDF, Multi Page PDF SB, SD Card BX Idds Idds Idds Idds Idds Idds Idds Idd	DF-A, Multi page TIFF, A		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std Paper Output Capacity Std Paper Output Capacity Max	Single Page TIFF, S	SAP® S, IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High con Multi page PDF, Multi page High con Email, Folder, U PSTN, P 2 Secor 33.6 Kt 8 x 3.65 line/mm, 16 x 15.4 line/mm, MH, MR, MM 4MB (320 l) 60MB (4,800) SRA3, A3, A4, A5, 1,200 Sh 4,700 Sh 500 Sheets	Atopim (duplex) Idpi JBIG2), Grayscale Impression PDF, Single page Plancession PDF, Multi Page PDF SB, SD Card BX Idds	DF-A, Multi page TIFF, A		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std Paper Output Capacity Std Paper Output Capacity Max Paper Weight	Single Page TIFF, S	SAP® S, IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High con Multi page PDF, Multi page High con Email, Folder, U PSTN, P 2 Secor 33.6 Kt 8 x 3.65 line/mm, 16 x 15.4 line/mm, MH, MR, MM 4MB (320 l) 60MB (4,800) SRA3, A3, A4, A5, 1,200 Sh 4,700 Sh 500 Sheets 60 - 3000; e paper, Special paper, Color paper, Lei	Atopim (duplex) Idpi JBIG2), Grayscale Impression PDF, Single page Plancession PDF, Multi Page PDF SB, SD Card BX Idds	DF-A, Multi page TIFF, A		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std Paper Output Capacity Std Paper Output Capacity Max Paper Weight Paper Types	Single Page TIFF, S	SAP® S, IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High con Multi page PDF, Multi page High con Email, Folder, U PSTN, P 2 Secor 33.6 Kt 8 x 3.65 line/mm, 16 x 15.4 line/mm, MH, MR, MM 4MB (320 l) 60MB (4,800) SRA3, A3, A4, A5, 1,200 Sh 4,700 Sh 500 Sheets 60 - 3000; e paper, Special paper, Color paper, Lei	ries 240ipm (duplex) Ipi JBIG2), Grayscale mpression PDF, Single page Pl npression PDF, Multi Page PDF SB, SD Card BX ads pps 200 x 100 dpi 400 x 400 dpi 400 x 400 dpi AR, JBIG Pages) Pages) Pages) Pages A6, B4, B5, B6 eets eets eets eets eets eets eets eet	DF-A, Multi page TIFF, A		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std Paper Output Capacity Max Paper Weight Paper Types ECOLOGY	Single Page TIFF, S 1,625 Plain paper, Recycl Less Tha	SAP® S, IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High con Multi page PDF, Multi page High con Email, Folder, U PSTN, P 2 Secon 33.6 Kb 8 x 3.65 line/mm, 16 x 15.4 line/mm, MH, MR, MM 4MB (320 I) 60MB (4,800 SRA3, A3, A4, A5, 1,200 Sh 4,700 Sh 500 Sheets 60 - 300g e paper, Special paper, Color paper, Le Coated paper, Envelope, Gloss	ries 240ipm (duplex) Ipi Ipi IBIG2), Grayscale mpression PDF, Single page Pl npression PDF, Multi Page PDF SB, SD Card BX ads pps 200 x 100 dpi 400 x 400 dpi ///////////////////////////////////	DF-A, Multi page TIFF,A 25 Sheets 25 Sheets		
UNIX environments SAP® environments Other Supported environments SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std Paper Output Capacity Max Paper Output Capacity Std Paper Unput Capacity Std Paper Output Capacity Std Paper Output Capacity Max Paper Weight Paper Types ECOLOGY Power Consumption: Max	Single Page TIFF, S 1,625 Plain paper, Recycl Less Tha	SAP® S, IBM iSe 120ipm (Simplex) / 2 1,200 c TIFF (MH, MR, MMR, Single page JPEG, Single Page High con Multi page PDF, Multi page High con Email, Folder, U PSTN, P 2 Secon 33.6 Kb 8 x 3.65 line/mm, 16 x 15.4 line/mm, MH, MR, MM 4MB (320 l) 60MB (4,800 SRA3, A3, A4, A5, 1,200 Sh 4,700 Sh 500 Sheets 6 Sheets 60 - 300g e paper, Special paper, Color paper, Le Coated paper, Envelope, Gloss an 1,700 W	ries 240ipm (duplex) Ipi JBIG2), Grayscale mpression PDF, Single page Pl npression PDF, Multi Page PDF SB, SD Card BX nds pps 2200 x 100 dpi 400 x 400 dpi 400 x 400 dpi AR, JBIG Pages) Pages) Pages) Pages etts atterhead, Cardstock, Preprint spaper, Label paper, OHP Less Th	DF-A, Multi page TIFF,A 25 Sheets 25 Sheets 26 paper, Bond paper,		

RICOH IM C3000 / IM C3500 / IM C4500 / IM C6000

MAIN SPECIFICATIONS

MODEL	RICOH IM C3000	RICOH IM C3500	RICOH IM C4500	RICOH IM C6000		
OUTPUT TRAY AND FINISHER OPTION						
1 x 550-Sheets Paper Tray (PB 3270)	Paper Size : A6-SRA3, Paper Weight : 60-300g/m²					
2 x 550-Sheets Paper Tray (PB 3280)	Paper Size : A6-SRA3, Paper Weight : 60-300g/m²					
2,000-Sheets Large Capacity Tray (LCIT PB3290)	Paper Size : A4, Paper Weight : 60-300g/m²					
1,500-Sheets Large Capacity Tray (LCIT RT3040)	Paper Size : A4, Paper Weight : 60-300g/m²					
1,000-Sheets Hybrid Finisher (SR3260)	Paper Size : Proof Tray :A6-A3, Shift Tray : A6-A3, Paper weight : 60-300g/m² Staple paper size : A4-A3, Staple paper weight :52-105g/m Staple position : Top, Bottom, 2 Staples Staple capacity Max : 50 sheets (A4) 30 Sheets (A3) Stapleless capacity Max : 5 sheets (A4/A3)					
3,000-sheet Finisher (SR 3280) [Available for IM C4500, IM C6000 only]	Paper Size : Proof Tray :A6-A3, Shift Tray : A6-A3, Paper weight : 60-300g/m² Staple paper size : A4-A3, Staple paper weight :52-105g/m Staple position : Top, Bottom, 2 Staples, Top slant Staple capacity Max : 50 sheets (A4) 30 Sheets (A3)					
1,000-Sheet Booklet Finisher (SR3270)	Paper Size : Proof Tray :A6-A3, Shift Tray : A6-A3, Booklet tray : A4-A3 Paper weight : 60-300g/m² Staple paper size : A4-A3, Staple paper weight :52-105g/m Staple position : Top, Bottom, 2 Staples, Booklet Staple capacity Max : 50 sheets (A4) 30 Sheets (A3)					
2,000-Sheet Booklet Finisher (SR3290) [Available for IM C4500, IM C6000 only]	Paper Size : Proof Tray :A6-A3, Shift Tray : A6-A3, Booklet tray : A4-A3 Paper weight : 60-300g/m² Staple paper size : A4-A3, Staple paper weight :52-105g/m Staple position : Top, Bottom, 2 Staples, Booklet Staple capacity Max : 50 sheets (A4) 30 Sheets (A3)					
500-Sheet Internal Finisher (SR3250) (IM C6000 is not supported)	Paper Size : A6-A3, Paper weight : 60-300g/m² Staple paper size : A4-A3, Staple paper weight :52-105g/m Staple position : Top, Bottom, 2 Staples Staple capacity Max : 50 sheets (A4) 30 Sheets (A3)					
250-Sheet Internal Finisher (SR3300) (Available for IM C3000, IM C3500 only)	Paper Size : A6-A3, Paper weight : 60-300g/m² Staple paper size : A4-A3, Staple paper weight :52-105g/m Staple position : Top,1 Staple Staple capacity Max : 2-5 sheets (A4)					
Internal Shift Tray (SH3080)	Tray Capacity: 250 sheets, Paper size: 320 mm x 600 mm or smaller, Paper weight: 60-300g/m²					
One-bin tray (BN3130)	Tray Capacity : 125 sheets, Paper size : A5 - A3, Paper weight : 52-300g/m²					

OTHER OPTIONS

Platen Cover PN2000, DF3110, DF3120, Fax Option Type M37, G3 Interface Unit Type M37, Fax Connection unit Type M37, FAX Memory unit Type M19 64MB, Memory Unit Type M37 4GB, Caster Table Type M3, VM Card Type M37, Side Tray, Punch Unit NA/EU/SC (PU3070,PU3080,PU3090), Internal Multi-fold unit FD3010, Camera direct print card, Postscript3 Unit Type M37, XPS direct print Option Type M37, IEEE 1284 I/F Type M19, IEEE 802.11a/g/n I/F Type M19, Device server option Type M37, File format Converter Type M19, OCR Unit Type M13, Small Paper Feeding Unit Type M37, Page Keeper Type M37, ADF Handle, External Keyboard Bracket Type M19, Optional Counter Interface Unit Type M12, Key Counter Bracket Type M3, NFC Card Reader Type M37, Smart Card Reader Built in Unit Type M37, External USB Keyboard (No bracket), Color Controller E-25C, Unicode Font Package for SAP®License.



Advanced Print Scan Solutions Unit 3 / 74 Thomsons Rd, Keilor Park 3042 P: 1300 226 995 W: www.apssolutions.com.au



















^{*}AirPrint certification will be available in 2019.